



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/724,693	12/02/2003	Toshihiro Hayami	246076US2SP	1975
22850 7590 08/10/2007 OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			EXAMINER KACKAR, RAM N	
			ART UNIT 1763	PAPER NUMBER
			NOTIFICATION DATE 08/10/2007	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com  
oblonpat@oblon.com  
jgardner@oblon.com

## Office Action Summary

Application No.

10/724,693

Applicant(s)

HAYAMI ET AL.

Examiner

Ram N. Kackar

Art Unit

1763

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 21 June 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 3-5,8-13 and 15-19 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 3-5,8-13 and 15-19 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)   | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Claim Rejections - 35 USC § 112***

1. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 15 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 15 recites a black tape for forming a black body while the claim 19 on which this claim depends recites anodized black body. The specification discloses either of the two.

### ***Claim Rejections - 35 USC § 103***

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. **Claims 3-5, 8-13 and 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Applicants admitted prior art (AAPA) in view of Tamagawa et al (JP 03072624) and Craig A. Phelps (US 5724234) and further in view of Hannigan et al (US 5999081) as evidenced by (Article in Publication, Sensors handbook by Sabrie Soloman - Copy right 1999) and Shimamura et al (US 5707500).**

AAPA discloses a method of temperature measurement of a susceptor disposed in a conductive vessel of anodized aluminum set to ground potential and having a space formed therein in which a plasma is generated by application of a radio frequency power which in recent years have gone in frequency to 40 MHz, 60 MHz or 100 Mhz.

AAPA do not disclose the measurement of temperature of the susceptor by a radiation thermometer using infrared rays. However measuring temperature by an infrared thermometer is common.

Tamagawa et al disclose temperature measurement of a sample in a plasma etching chamber (Fig 1) by an infrared thermometer (262) looking through a partially drilled hole (25) in the electrostatic chuck to sense the temperature of the chuck and another sensor (162) through a through hole (15).

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to use infrared thermometer for its accurate and reliable measurement of temperature.

AAPA as modified by Tamagawa et al do not disclose any limitation on the size of the opening. However it is inherent that an opening made in the AAPA to allow an infrared radiation to pass also allows the possibility of RF leak.

Craig A. Phelps teaches that RF power leaks through openings of a size greater than the wavelength of the radio frequency and the leakage decreases linearly as the size of the opening decreases (Col 1 lines 60- Col 2 line 8). Craig A. Phelps further teach that the opening should be less than 1/20 of the wavelength.

Art Unit: 1763

It would be obvious therefore that at higher frequency the leak of an opening would increase and therefore at higher frequency smaller and smaller opening (less than  $1/50$  of the wavelength) will be preferable to prevent RF leak.

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to use opening of as small a size as feasible in order to prevent RF leak through the opening.

Applicants admitted prior art (AAPA) in view of Tamagawa et al and Craig A. Phelps as discussed above do not disclose that the measuring portion of the susceptor is structured as a blackbody, which is anodized.

Advantage of a black body for infrared temperature measurement are well known as evidenced by (Article in Publication, Sensors handbook by Sabrie Soloman -Copy right 1999) and Shimamura et al. It is known through basic understanding of radiation thermometry that the infrared radiation energy emitted from heated surface is proportional to the emissivity of the surface and to  $T^4$  where T is the temperature. Since emissivity of a black body is 1 it is obvious that signal for temperature measurement will have a better signal/noise ratio for a black body (See Article 84 specially 84.4). Same teaching is echoed by Shimamura et al (Col 19 lines 34 to Col 20 line 65) who teach the use of making the inside of shielding cylinder as blackbody to reduce stray light (black body absorbs and does not reflect light).

Hannigan et al teach that blackbody surface could be achieved by anodized aluminum (Col 5 lines 1-9).

Art Unit: 1763

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to use anodized surface as blackbody especially since the process vessel was constituted of anodized aluminum.

**4. Claim 15 is rejected under 35 U.S.C. 103(a) as being unpatentable over (AAPA) in view of Tamagawa et al (JP 03072624), Craig A. Phelps (US 5724234) and Hannigan et al (US 5999081) as applied to claims 3-5, 8-13 and 16-19 and further in view of Bowers III et al (US 5680025).**

Applicants admitted prior art (AAPA) in view of Tamagawa et al and Craig A. Phelps as discussed above do not disclose that the measuring portion of the susceptor is structured as a blackbody, which is a black tape.

Bowers III et al teach that to measure the temperature of a surface by IR probe the surface should have a known emissivity and since a black surface provided by a black tape will have an emissivity of 1 temperature could be measured accurately (Col 8 lines 39-52).

Therefore it would have been obvious for one of ordinary skill in the art at the time of invention to use black tape in the measurement hole for accurate measurement.

#### ***Response to Arguments***

Applicant's arguments filed 6/21/2007 have been fully considered but they are not persuasive.

Applicant argues that "Hannigan et al do not describes or suggests anodizing the top portion of the temperature measurement hole of the susceptor so as to act as a blackbody to an

Art Unit: 1763

infrared ray. In addition, Hannigan et al is directed to a RTD technique for temperature measurement while the claimed invention recites an infrared ray technique for temperature measurement. Thus, the principle of temperature measurement in Hannigan et al is quite different from the principle of temperature measurement in the claimed invention”.

In response it is stated that Hannigan et al teach the use of anodized aluminum as a black body, which is understood in the art to have its specific characteristics. Hannigan et al teach the advantage of black body for efficient in heat transfer. The advantages taught by Sabrie Soloman and Shimamura et al also depend upon the same physical principal. There is no dichotomy between the two teachings.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

Art Unit: 1763

however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ram N. Kackar whose telephone number is 571 272 1436. The examiner can normally be reached on M-F 8:00 A.M to 5:P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on 571 272 1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Ram Kackar  
Primary Examiner AU 1763